

SECTION1. Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product line: HYPNO 101

1.2. Relevant identified uses of the substance or mixture and uses advised against

Car freshner.

Private households (= general public = consumers)[SU21], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

ITALSCENT S.r.l.

Sede Legale: Via Verdi, 15 - 46019 Viadana (Mn) - Italy

Sede Operativa: Via P. V. Marone, 8 - 46010 Marcara (Mn) - Italy

Tel. +39 0376 924067 - Fax +39 0376 97331

C.F. e P. Iva 01171160110

Web: www.italscent.com E-Mail : info@italscent.com

1.4. Emergency telephone number

Centro Antiveleni di Pavia: +39 0382 24444 (CAV IRCCS Fondazione Maugeri, Pavia, Italy)

Centro Antiveleni di Firenze: +39 055 7947819 (CAV Ospedale Careggi, Firenze, Italy)

Centro Antiveleni di Roma: +39 06 3054343 (CAV Policlinico Gemelli, Roma, Italy)

Centro Antiveleni di Roma: +39 06 49978000 (CAV Policlinico Umberto I, Roma, Italy)

Centro Antiveleni di Napoli: +39 081 7472870 (CAV Ospedale Cardarelli, Napoli, Italy)

IPCS: http://www.who.int/gho/phe/chemical_safety/poisons_centres/en/index.html

Tel. +39 0376 924067 (Orari d'ufficio)

SECTION2. Hazards identification**2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07, GHS09

Hazard Class and Category Code(s):

Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Chronic 2

Hazard statement Code(s):

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

2.1.2 Classification according to Directive 1999/45/EEC:

Classification:

Xi; R38 Xi; R43 N; R51/53

Nature of special risks attributed:

R38 - Irritating to skin.

R43 - May cause sensitisation by skin contact.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

If brought into contact with eyes, the product causes significant irritations which may last for more than 24 hours, if brought into contact with skin, it causes significant inflammation with erythema, scabs, or edema

The product, if brought into contact with skin can cause skin sensitization.

The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:



Pictogram, Signal Word Code(s):

GHS07, GHS09 - Warning

Hazard statement Code(s):

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements:

General

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

Prevention

P273 - Avoid release to the environment.

Response

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Disposal

P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

Contains:

LIMONENE, TERPINEOL, CITRAL, 3,7-DIMETHYL-6-OCTEN-1-AL, CINNAMALDEHYDE, PINENE beta, 8-ISOPROPYL-6-METHYLBICYCLO(2,2,2) OCT-5-ENE-2-CARBALDEHYDE, GERANIOL, 2,6-OCTADIENAL.3,7-DIMETHYL. It can produce an allergic reaction.

Content of VOC ready to use condition: 7,00 %

2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

SECTION3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of risk phrases and hazard statements

Substance	Concentration	Classification	Identificativi
BENZYL BENZOATE	> 10 <= 20%	Xn; R22 N; R51/53 Acute Tox. 4, H302; Aquatic Chronic 2, H411	CE 607-085-00-9 CAS 120-51-4 EINECS 204-402-9 REACH
LINALOOL	> 5 <= 10%	Xi; R38 Skin Irrit. 2, H315; Eye Irrit. 2, H319	CE CAS 78-70-6 EINECS 201-134-4 REACH
LIMONENE	> 5 <= 10%	R10 Xi; R38 Xi; R43 N; R50/53 Xn; R65 Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	CE 601-029-00-7 CAS 5989-27-5 EINECS 227-813-5 REACH 01-2119529223-47
CITRAL	> 1 <= 5%	Xi; R38 Xi; R43 Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319	CE 605-019-00-3 CAS 5392-40-5 EINECS 226-394-6 REACH 01-2119462829-23
TERPINEOL	> 1 <= 5%	Xi; R41 Xi; R43 N; R51/53 Skin Irrit. 2, H315; Skin Sens. 1, H317	CE CAS 8000-41-7 EINECS 232-268-1 REACH 17-2119411205-56
LINALYL ACETATE	> 1 <= 5%	Xi; R38 Skin Irrit. 2, H315; Eye Irrit. 2, H319	CE CAS 115-95-7 EINECS 204-116-4 REACH 01-2119454789-19
THYMOL	> 0,1 <= 1%	C; R34 Xn; R22 N; R51/53 Acute Tox. 4, H302; Skin Corr. 1B, H314; Aquatic Chronic 2, H411	CE 604-032-00-1 CAS 89-83-8 EINECS 201-944-8 REACH
GERANIOL	> 0,1 <= 1%	Xi; R38 Xi; R41 Xi; R43 Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Dam. 1, H318	CE CAS 106-24-1 EINECS 203-377-1 REACH 01-2119552430-49
CAMPHENE	> 0,1 <= 1%	F; R11 Xi; R36 N; R50/53 Flam. Sol. 1, H228; Eye Irrit. 2, H319; Aquatic Chronic 1, H410	CE CAS 79-92-5 EINECS 201-234-8 REACH 01-2119446293-40
UNDECANAL	> 0,1 <= 1%	Xi; R38 N; R51/53 Skin Irrit. 2, H315	CE CAS 112-44-7 EINECS 203-972-6 REACH
DODECANAL	> 0,1 <= 1%	Xi; R38 N; R51/53 Skin Irrit. 2, H315; Aquatic Chronic 2, H411	CE CAS 112-54-9 EINECS 203-983-6 REACH
PINENE beta	> 0,1 <= 1%	R10 Xi; R38 Xi; R43 Xn; R65 Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1, H317	CE CAS 127-91-3 EINECS 204-872-5 REACH 01-2119519230-54
3,7-DIMETHYL-6-OCTEN-1-AL	> 0,1 <= 1%	Xi; R38 Xi; R43 N; R51/53 Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 2, H411	CE CAS 106-23-0 EINECS 203-376-6 REACH 01-2119474900-37
CINNAMALDEHYDE	> 0,1 <= 1%	Xn; R21 Xi; R36/38 Xi; R43 Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319	CE CAS 104-55-2 EINECS 203-213-9 REACH

Substance	Concentration	Classification	Identificativi
ALLYL CAPROATE	> 0,1 <= 1%	Xn; R21/22 Xi; R38 N; R51/53 Acute Tox. 3, H301; Acute Tox. 3, H311; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Acute 1, H400; Aquatic Chronic 3, H412	CE CAS 123-68-2 EINECS 204-642-4 REACH
2,6-DI-TERT-BUTYL-p-CRESOL	> 0,1 <= 1%	N; R50/53 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	CE CAS 128-37-0 EINECS 204-881-4 REACH 01-2119565113-46
8-ISOPROPYL-6-METHYLBICYCLO(2,2,2) OCT-5-ENE-2-CARBALDEHYDE	> 0,1 <= 1%	Xi; R43 Skin Sens. 1, H317	CE CAS 67845-30-1 EINECS 267-308-7 REACH
NEROL	> 0,1 <= 1%	Xi; R38 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	CE CAS 106-25-2 EINECS 203-378-7 REACH
NONANAL	> 0,1 <= 1%	Xi; R38 N; R51/53 Skin Irrit. 2, H315; Aquatic Chronic 2, H411	CE CAS 124-19-6 EINECS 204-688-5 REACH
LORENOX	> 0,1 <= 1%	Xi; R36/38 Skin Irrit. 2, H315; Eye Irrit. 2, H319	CE CAS EINECS REACH
1-OCTANAL	> 0,1 <= 1%	R10 Xi; R36/38 N; R51/53 Flam. Liq. 3, H226; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 1, H410	CE CAS 124-13-0 EINECS 204-683-8 REACH 01-2119638272-38
TRIDECENE-2-NITRILE	> 0,1 <= 1%	N; R50/53 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	CE CAS 22629-49-8 EINECS 245-142-6 REACH
2,6-OCTADIENAL.3,7-DIMETHYL	> 0,1 <= 1%	R10 Xi; R38 Xi; R43 R52/53 Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412	CE CAS 147060-73-9 EINECS 291-768-8 REACH

SECTION4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Take contaminated clothing Immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Ingestion:

It's possible to give activated charcoal in water or liquid paraffin medicine

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.

SECTION 5. Firefighting measures**5.1. Extinguishing media**

Advised extinguishing agents:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1 For non-emergency personnel:

Wear gloves and protective clothing

6.1.2 For emergency responders:

Wear gloves and protective clothing

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing
Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.
Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

At work do not eat or drink.

See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Private households (= general public = consumers):

Handle in a well ventilated area.

Public domain (administration, education, entertainment, services, craftsmen):

Follow the rules of good hygiene in the workplace.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:

LIMONENE:

MAK: 20 110 mg/m ppm skin sensitization (Sh); Peak limitation category: II (2); Risk group for pregnancy: C; (DFG 2005).

2,6-DI-TERT-BUTYL-p-CRESOL:

TLV-TWA=2mg/mL (ACGIH), A4, URT irr

8.2. Exposure controls

Appropriate engineering controls:

Private households (= general public = consumers):

Observe usual safety precautions in the handling of chemicals.



Public domain (administration, education, entertainment, services, craftsmen):
Well ventilated environment. Observe the safety measures used in handling chemicals.

Individual protection measures:

a) Eye / face protection
Not needed for normal use.

b) Skin protection

i) Hand protection
When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

ii) Other
Wear normal work clothing.

c) Respiratory protection
Not needed for normal use.

d) Thermal hazards
No hazard to report

Environmental exposure controls:
Use according to good working practices to avoid pollution into the environment.

SECTION9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value
Appearance	Yellow/green liquid
Odour	Characteristic
Odour threshold	Undefined
pH	Undefined
Melting point/freezing point	Undefined
Initial boiling point and boiling range	Undefined
Flash point	>61°C
Evaporation rate	Undefined
Flammability (solid, gas)	Undefined
Upper/lower flammability or explosive limits	Undefined
Vapour pressure	Undefined
Vapour density	Undefined
Relative density	0,981g/mL
Solubility	Undefined
Water solubility	Insoluble
Partition coefficient: n-octanol/water	Undefined
Auto-ignition temperature	Undefined
Decomposition temperature	Undefined
Viscosity	Undefined
Explosive properties	Undefined

Physical and chemical properties	Value
Oxidising properties	Undefined

9.2. Other information

Content of VOC ready to use condition: 7,00 %

SECTION10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides.

It can ignite in contact with oxidants mineral acids, strong oxidants agents, strong reducing agents.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION11. Toxicological information

11.1. Information on toxicological effects

ATE(mix) oral = 2.500,0 mg/kg

ATE(mix) dermal = 47.142,9 mg/kg

ATE(mix) inhal = 0,0 mg/l/4 h

(a) acute toxicity: BENZYL BENZOATE: The substance is irritating to the eyes, the skin and the respiratory tract.

ACUTE HAZARDS/Symptoms

INHALATION: Cough. Sore throat.

CUTE CAN BE ABSORBED! Dry scalp. Redness.

EYE Redness.

LIMONENE: Acute hazards/symptoms:

Skin: Skin Redness. Pain.

Eye: Redness.

(b) skin corrosion/irritationIf brought into contact with the skin, the product causes significant inflammation with erythema, scabs, or edema.

LINALOOL: Irritant (rabbit)

LIMONENE: Irritating

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

LINALOOL: Irritant (rabbit)

LIMONENE: Mildly irritating

(d) respiratory or skin sensitization: The product, if brought into contact with skin can cause skin sensitization.

(e) germ cell mutagenicity: not applicable

(f) carcinogenicity: not applicable

(g) reproductive toxicity: not applicable

(h) specific target organ toxicity (STOT) single exposure: not applicable

(i) specific target organ toxicity (STOT) repeated exposure: BENZYL BENZOATE: Repeated or prolonged contact with skin may cause dermatitis.

LIMONENE: Repeated or prolonged contact may cause skin sensitisation

(j) aspiration hazard: not applicable

Related to contained substances:

BENZYL BENZOATE:

ROUTES of EXPOSURE: the substance can be absorbed into the body by inhalation of its aerosol through the skin and by ingestion.

INHALATION RISK: cannot be given any indication about the speed with which it reaches a harmful contamination in the air due to evaporation of the substance at 20°C.

LINALOOL:

LD50 (rat) Oral (mg/kg body weight) = 2790

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5160

LIMONENE:

LD50 (rat) Oral (mg/kg body weight) = 4400

LINALYL ACETATE:

LD50 (rat) Oral (mg/kg body weight) = 14600

GERANIOL:

LD50 (rat) Oral (mg/kg body weight) = 3600

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5000

PINENE beta:

LD50 (rat) Oral (mg/kg body weight) = 4700

3,7-DIMETHYL-6-OCTEN-1-AL:

LD50 (rat) Oral (mg/kg body weight) = 2420

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2500

CINNAMALDEHYDE:

LD50 (rat) Oral (mg/kg body weight) = 2200

2,6-DI-TERT-BUTYL-p-CRESOL:

LD50 (rat) Oral (mg/kg body weight) = 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2000

1-OCTANAL:

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5207

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 4617

12.1. Toxicity

Related to contained substances:

1-OCTANAL:

C(E)L50 (mg/l) = 1,54

NOEC (mg/l) = 0,92

TERPINEOL:

NOEC (mg/l) = 40

BENZYL BENZOATE:

During normal use this substance is released into the environment. However you have to pay a great attention to prevent any additional release, for example by inappropriate disposal.

LIMONENE:

The substance is very toxic to aquatic organisms.

C(E)L50 (mg/l) = 0,688

2,6-DI-TERT-BUTYL-p-CRESOL:

The substance is harmful to aquatic organisms.

EC50 = 0,758mg/L (algae, 96h)

EC50 = 0,48mg/L (invertebrates, daphnia magna, 48 h)

LC50 = 0,199mg/L (fish, 83d)

EC50 = 1,7 mg/L (microorganisms, psaudomonas putida, 24h)

C(E)L50 (mg/l) = 0,199

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

Related to contained substances:

LIMONENE:

Can be no bioaccumulation of this chemical in fish.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

12.6. Other adverse effects

No adverse effects

13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information

14.1. UN number

3082

If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packagings placed in shrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg



14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE, LIMONENE, 3,7-DIMETHYL-6-OCTEN-1-AL, 2,6-DI-TERT-BUTYL-p-CRESOL)

14.3. Transport hazard class(es)

Class : 9

Label : 9

Tunnel restriction code : E

Limited quantities : 5 L

EmS : F-A, S-F

14.4. Packing group

III

14.5. Environmental hazards

Product is environmentally hazardous

Marine polluting agent : Yes

14.6. Special precautions for user

The goods must be transported by vehicles authorized to transport of dangerous goods according to the current edition of ADR requirements and applicable national regulations.

The goods must be in original packing, however, in packaging made of materials resistant to their content and not likely to generate with this dangerous reactions. People loading and unloading dangerous goods must be trained on the risks from these substances and that must be taken in case of emergency situations

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Reg (EC) n. 1907/2006 (REACH), Reg (EC) n. 1272/2008 (CLP), Reg (EC) n. 453/2010 (Requirements for the compilation of safety data sheets), Reg (E) n.790/2009, Dir 96/82/EC as amended.

15.2. Chemical safety assessment

The supplier has made an assessment of chemical safety

SECTION 16. Other information

16.1. Other information

Description of the sentences of risk set out in paragraph 3

R10 = Flammable.

R11 = Highly flammable.

R21 = Harmful in contact with skin.

R22 = Harmful if swallowed.

R34 = Causes burns.

R36 = Irritating to eyes.

R38 = Irritating to skin.

R41 = Risk of serious damage to eyes.

R43 = May cause sensitisation by skin contact.

R50 = Very toxic to aquatic organisms.

R51 = Toxic to aquatic organisms.

R52 = Harmful to aquatic organisms.

R53 = May cause long-term adverse effects in the aquatic environment.

R65 = Harmful: may cause lung damage if swallowed.

Description of the hazard statements exposed to point 3

H302 = Harmful if swallowed.

H411 = Toxic to aquatic life with long lasting effects.

H315 = Causes skin irritation.

H319 = Causes serious eye irritation.

H226 = Flammable liquid and vapour.

H317 = May cause an allergic skin reaction.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H314 = Causes severe skin burns and eye damage.

H318 = Causes serious eye damage.

H228 = Flammable solid.

H304 = May be fatal if swallowed and enters airways.

H312 = Harmful in contact with skin.

H301 = Toxic if swallowed.

H311 = Toxic in contact with skin.

H412 = Harmful to aquatic life with long lasting effects.

Classification based on data of all mixture components

Regulatory information:

Dir 67/548 29° Amendment

Dir 1999/45/EC e s.a.a.

Dir 2001/60/EC

Reg 1907/2006 EC

Reg 1272/2008 EC

Reg 453/2010 EC

NOTICE TO USERS

The information contained in this sheet are based on the knowledge available at the date of the preparation of this sheet.



SAFETY DATA SHEET

Issued on 04/28/2015 - Rel. # 1 on 05/07/2015

Pag. 13 / 13

In conformity to Regulation (EC) No 453/2010 of 20 May 2010

The user must be aware of the possible risks associated with the use of the product, other than that for which the product is supplied. The sheet does not exonerate the user from knowing and applying all the regulations governing its activities. The set of regulations mentioned is simply to help the user to fulfill its obligations regarding the use of hazardous products.

This sheet does not exonerate the user from other legal obligations than those mentioned and from rules regulating possession and use of the product, since the user is the only responsible.

*** This sheet supersedes all previous editions.
